Nuclear Instruments and Methods in Physics Research A 331 (1993) xxi–xxx
North-Holland

Contents

Preface vii
A summary of Prof. Carlo Rubbia's speech during the conference reception ix
Committees and organizers xi
Sponsors xiii
Number of participants and number of abstracts xiv
Photos xv

Part I. Original publications

Section I. FEL prize memorial lectures by the FEL'91 prize winners

FEL development at the Budker Institute of Nuclear Physics
N.A. Vinokurov 3
Electron beam quality limitations and beam conditioning in free electron lasers
P. Sprangle, B. Hafizi, G. Joyce and P. Serafim 6

Section II. First lasing experiments

Optical performance of the CLIO infrared FEL
R. Prazeres, J.M. Berset, F. Glotin, D. Jaroszynski and J.M. Ortega 15
Lasing of a free electron laser in the visible on the UVSOR storage ring
S. Takano, H. Hama and G. Isoyama 20
First lasing of the NIJI-IV storage-ring free-electron laser
T. Yamazaki, K. Yamada, S. Sugiyama, H. Ohgaki, N. Sei, T. Mikado, T. Noguchi, M. Chiwaki, R. Suzuki, M. Kawai, M. Yokoyama, K. Owaki, S. Hamada, K. Aizawa, Y. Oku, A. Iwata and M. Yoshiwa 27

Section III. Short wavelength laser experiments

Dynamical study of the Super-ACO free electron laser with the dissector
M.E. Couprie, V. Litvinienko, D. Garzella, A. Delboulbé, M. Velghe and M. Billardon ... 37
Long-range coherence in a short-pulse FEL
D. Oepts, R.J. Bakker, D.A. Jaroszynski, A.F.G. van der Meer and P.W. van Amersfoort .. 42
Lasing attempt with a microwiggler on the Los Alamos FEL
R.W. Warren, P.G. O'Shea, S.C. Bender, B.E. Carlsten, J.W. Early, D.W. Feldman, C.M. Fortgang, J.C. Goldstein, M.J. Schmitt, W.E. Stein, M.D. Wilke, T.J. Zaugg, B.E. Newnam and R.L. Sheffield 48
Limit cycle behaviour in FELIX
D.A. Jaroszynski, R.J. Bakker, D. Oepts, A.F.G. van der Meer and P.W. van Amersfoort .. 52
Feedback stabilization of the SCA/FEL wavelength
A. Marziali and T.I. Smith 59
Performance of the APEX free-electron laser at Los Alamos National Laboratory
P.G. O'Shea, S.C. Bender, B.E. Carlsten, J.W. Early, D.W. Feldman, R.B. Feldman, J.C. Goldstein, K.F. McKenna, R. Martineau, E.J. Pitcher, M.J. Schmitt, W.E. Stein, M.D. Wilke and T.J. Zaugg 62

0168-9002/93/$06.00 © 1993 – Elsevier Science Publishers B.V. All rights reserved

Wiggler limited long wavelength operation of an FEL
K.W. Berryman, T.I. Smith and R.L. Swent 69

Status of the experiments for an infrared free-electron laser oscillator at ISIR
S. Okuda, J. Ohkuma, N. Kimura, Y. Honda, T. Okada, S. Takamuku, S. Ishida, T. Yamamoto and K. Tsumori 73

Self-amplified spontaneous emission at wavelengths of 20 and 40 μm from single-bunch electron beams
S. Okuda, J. Ohkuma, N. Kimura, Y. Honda, T. Okada, S. Takamuku, T. Yamamoto and K. Tsumori 76

Agility of FELIX regarding wavelength and micropulse shape
R.J. Bakker, C.A.J. van der Geer, D.A. Jaroszynski, A.F.G. van der Meer, D. Oepts, P.W. van Amersfoort, V. Anderegg and P.C. van Son 79

Threshold condition and saturation mechanisms for the Super-ACO storage ring free electron laser
M.E. Couprie, D. Garzella, A. Delboulbé, M. Velghe and M. Billardon 84

Preliminary results of the FEL injector at CIAE
X.L. Zhai, W.Z. Zhou, T.L. Yang, D.X. Pu, Z.M. Jin, Y.Z. Lu, X.Z. Shi, Q. Sun and W.K. Chen 89

Conversion efficiency optimization of free electron laser light
B.A. Hooper, S.V. Benson and J.M.J. Madey 93

VEPP-3 optical klystron lasing in a confocal optical resonator
G.N. Kulipanov, I.V. Pinayev, V.M. Popik, T.V. Shaftan, A.S. Sokolov and N.A. Vinokurov 98

FEL oscillation on TERAS
K. Yamada, T. Yamazaki, S. Sugiyama, H. Ohgaki, T. Noguchi, T. Mikado, M. Chiwaki, R. Suzuki and T. Tomimasu 103

Section IV. Long wavelength experiments

Generation and acceleration of laser-induced photoelectrons using a disktron type compact electrostatic accelerator
Y. Kawamura, T. Tanabe, D. Li and K. Toyoda 109

X-band ion-focused free-electron laser
S. Hiramatsu, K. Ebihara, Y. Kimura, J. Kishiro, T. Monaka, T. Ozaki, K. Saito, K. Takayama and D.H. Whittum 113

Experimental study of millimeter waves and microwaves from a circular free electron laser
T. Mizuno, T. Ohshima and H. Saito 117

Experimental and numerical results on a millimeter-wave free electron laser amplifier
V.L. Granatstein, W.W. Destler, S.W. Bidwell, Z.X. Zhang, T.M. Antonsen, Jr., B. Levush, J. Rodgers, Y. Carmel and H.P. Freund 122

Relativistic beam transport in a focusing wiggler
K. Sakamoto, M. Shiho, T. Kobayashi, Y. Kishimoto, S. Musyoki, A. Watanabe, M. Takahashi, H. Ishizuka and S. Kawasaki 126

Raman regime free electron laser experiments using a distributed feedback structure
N. Ikeda, K. Okubo, A. Zakou, S. Ishii, R. Matsuda, T. Yamanaka, S. Kuribayashi, T. Akiba, S. Nakai, N. Ohigashi, J. Chen, K. Imasaki and C. Yamanaka 130

High-power backward wave oscillator driven by an intense relativistic electron beam with tapered slow wave structure for improved performances
T. Watanabe, K. Ogura, S. Watanabe and K. Minami 134

Energy and frequency measurements on the Twente Raman free-electron laser
P.J.M. van der Slot and W.J. Witteman 140

High power spike pulses emitted from a microwave FEL
L.-Y. Lin and T.C. Marshall 144

Microwave FEL experiments at CESTA
J. Launspach, Ph. Anthouard, J. Bardy, C. Bonnafond, H. Bottollier-Curtet, Ph. Delsart, A. Devin, Ph. Eyharts, P. Eyl, J. Gardelle, D. Gardent, G. Germain, P. Grua, J. Labrouche, P. Le Taillandier, J. de Mascureau, E. Merle, A. Roques, M. Thevenot and D. Villate 149

Azimuthally asymmetric oscillations in the dielectric Cherenkov maser
G.P. Fomenko, A.G. Pelyodov, A.S. Shlapakovskii and Yu.G. Shtein 152

Traveling-wave free-electron maser experiment
E. Agmon, H. Golombek and E. Jerby 156

Section V. FEL projects and proposals

DELTA, a status report of the storage ring FEL facility at the University of Dortmund
B. Baasner, D. Nölle and D. Schirmer 163

Progress of the Average Power Laser Experiment (APLE) program
J.M. Slater, D.C. Quimby, K.E. Robinson, A.S. Valla, J.L. Adamski, K.J. Davis, D.H. Dowell, R.B. Greegor, R.C. Kennedy, C.G. Parazzoli, D.J. Pistoresi, R.E. Rodenburg, J.B. Romero, D.R. Shoffstall, J.A. Siciliano, V.S. Starkovich, K.O. Tong, A.M. Vetter, M.J. Schmitt and G.E. Busch 168

Update of the FELI project. Design study of IR- and UV-FEL facilities for industrial use
T. Tomimasu, T. Keishi, A. Koga, Y. Miyauchi, E. Nishimura, Y. Morii, K. Saeki, S. Abe, S. Sato, A. Kobayashi, M. Okano, K. Imasaki, I. Bessho and A. Nagai 175

JAERI quasi-cw, and high-average power free electron laser driven by a superconducting rf linac
E.J. Minehara, R. Nagai, M. Sawamura, M. Takao, N. Kikuzawa, M. Sugimoto, S. Sasaki, M. Ohkubo, J. Sasabe, Y. Suzuki, Y. Kawarasaki and N. Shikazono 182

A free electron laser at P.N. Lebedev Institute
A. Agafonov, A. Airapetov, V. Bogachenkov, V. Fedotov, G. Gevorgian, A. Kolomensky, E. Krastelev, A. Kustov, A. Lebedev, N. Martynchuk, P. Mikhalev, V. Papadichev, A. Samokhin, I. Sinilshikova, O. Smith, V. Tarakhanov, V. Voronin, B. Yablokov and S. Zakharov 186

Free electron laser: technical issues and prospects in Japan
C. Yamanaka 191

Progress report on the ELSA FEL and first lasing
S. Joly, P. Balleyguier, M.A. Beuve, A. Binet, J.P. Bleses, R. Bois, C. Bonetti, J.P. de Brion, C. Couillaud, R. Dei-Cas, P. Fourdin, J. Frehaut, M. Guilloud, Ph. Guimbal, G. Haouat, D. Iracane, R. Joly, J.P. Laget, C. Laspalles, H. Leboutet, J.G. Marmouget, Y. Pranal, J. Raimbourg, F. Sabary, S. Striby, F. Schumann and J. Vouillarmet 199

Status of the Beijing FEL Project
J. Xie, J. Zhuang, Y. Huang, S. Zhong, C. Mao, Y. Li, R. Ying and S. Lin 204

Status report of the UT-FEL project
R. Hajima, T. Hara, H. Ohashi, M. Akiyama, S. Kondo, Y. Yoshida, T. Ueda, T. Kobayashi, M. Uesaka, E. Nishimura, K. Saeki, S. Abe, T. Keishi, A. Kobayashi, K. Imasaki and T. Tomimasu 208

Design of a 10 kW FEL at 10 microns
M.J. Schmitt, D.A. Byrd, B.E. Carlsten, C.J. Elliott, R.R. Stevens, C.G. Parazzoli, D.J. Pistoresi, R.E. Rodenburg and D.C. Quimby 212

Design concept for the second phase project of the JAERI free electron laser facility
M. Takao, M. Sugimoto, M. Sawamura, R. Nagai, N. Kikuzawa, E. Minehara, M. Ohkubo, Y. Kawarasaki and Y. Suzuki 218

A 2 to 4 nm high power FEL on the SLAC linac
C. Pellegrini, J. Rosenzweig, H.-D. Nuhn, P. Pianetta, R. Tatchyn, H. Winick, K. Bane, P. Morton, T. Raubenheimer, J. Seeman, K. Halbach, K.-J. Kim and J. Kirz 223

The UCLA IR FEL project
G. Baranov, N. Barov, P. Davis, M. Fauver, B. Gitter, G. Hairapetian, S. Hartman, M. Hogan, S. Ivanchenkov, C. Joshi, A. Khlebnikov, P. Kwok, N. Luhmann Jr., S. Park, C. Pellegrini, J. Rosenzweig, K. Schenk, J. Smolin, P. Tran, G. Travish and A. Varfolomeev . . 228

Development of a compact FEL system with a wide wavelength range
K. Imasaki, M. Asakawa, J. Chen, N. Sakamoto, T. Yamamoto, N. Ohigashi, Y. Tsunawaki, K. Mima, S. Kuruma, S. Nakai and C. Yamanaka 232

Design of the 1 MW, 200 GHz, FOM fusion FEM
W.H. Urbanus, R.W.B. Best, W.A. Bongers, A.M. van Ingen, P. Manintveld, A.B. Sterk, A.G.A. Verhoeven, M.J. van der Wiel, M. Caplan, V.L. Bratman, G.G. Denisov, A.A. Varfolomeev and A.S. Khlebnikov 235

Section VI. Applications

Predicted performance of a DC beam driven FEM oscillator designed for fusion applications at 200–250 GHz
M. Caplan, R.W.B. Best, A.G.A. Verhoeven, M.J. van der Wiel, W.H. Urbanus, V.L. Bratman and G.G. Denisov 243

Possible applications of FEL in UV photochemistry and nuclear waste reprocessing
N. Nakashima, T. Shimada, Y. Izawa and C. Yamanaka 250

Free electron laser induced two-photon absorption in $Hg_{1-x}Cd_xTe$
J. Burghoorn, V.F. Anderegg, P.C. van Son, T.O. Klaassen, W.Th. Wenckebach, R.J. Bakker, A.F.G. van der Meer, D. Oepts and P.W. van Amersfoort 254

FEL application to energy transport
K. Imasaki and C. Yamanaka 257

Free electron laser study of the photoconductivity in SmB_6
H. Ohta, M. Motokawa, J. Kaminski, A.R. King and S. Kunii 260

Section VII. Accelerator developments for FEL

Operation of the CLIO accelerator
R. Chaput, F. Glotin, G. Humbert, B. Kergosien, J. Lesrel, J.-M. Ortega, L. Serin, J.-C. Bourdon, M. Bernard, H. Coulle, M. Dehamme, T. Garvey, M. Mencik, B. Mouton, J. Rodier, P. Roudier and M. Taurigna 267

Status of the commissioning of LISA for the SURF FEL experiment
M. Castellano, M. Ferrario, M. Minestrini, P. Patteri, F. Tazzioli, N. Cavallo, F. Cevenini, F. Ciocci, G. Dattoli, A. DiPace, G.P. Gallerano, L. Giannessi, A. Renieri, E. Sabia, A. Torre and L. Catani 272

Recent progress of the superconducting accelerator modules for the JAERI FEL
N. Kikuzawa, E. Minehara, M. Sawamura, N. Nagai, M. Takao, M. Sugimoto, M. Ohkubo, J. Sasabe, Y. Suzuki and Y. Kawarasaki 276

Optimization of the FELIX accelerator with respect to laser performance
A.F.G. van der Meer, R.J. Bakker, C.A.J. van der Geer, D. Oepts, P.W. van Amersfoort, W.A. Gillespie, P.F. Martin and G. Saxon 282

Dynamic aperture study for the Duke FEL storage ring
Y. Wu, V.N. Litvinenko, E. Forest and J.M.J. Madey 287

Design study of the hybrid accelerator facility for a free electron laser
M. Terasawa and C. Yamanaka 293

Characteristics and beam tracking of a compact storage ring for FEL operation
Y. Takahashi, T. Hattori, H. Muto, Y. Oguri, M. Okamura and K. Yoshida 298

Experimental studies of photocathode materials for FELs
M. Asakawa, N. Sakamoto, Y. Shimizu, S. Nakai, K. Imasaki and C. Yamanaka 302

Simulations of APEX accelerator performance in the new nonthermalized photoinjector regime
B.E. Carlsten, J.C. Goldstein, E.J. Pitcher and M.J. Schmitt 307
Simple one dimensional simulation of a laser photoemitted electron bunch
B. Sapir, R. Shuker, G. Hazak and L.A. Levin 314
Fe-based nanocrystalline FINEMET cores for induction accelerators
S. Nakajima, S. Arakawa, Y. Yamashita and M. Shiho 318
An rf system using all-solid-state amplifiers for the JAERI FEL
M. Sawamura, M. Ohkubo, E. Minehara, R. Nagai, M. Takao, N. Kikuzawa, M. Sugimoto, Y. Suzuki, Y. Kawarasaki, K. Nagatsuka, K. Sato, H. Matsumoto and A. Kashiwagi 323
Solid-state pulsed-power supplies to drive an induction accelerator for an X-band microwave free electron laser
A. Tokuchi, H. Yoshimoto, N. Ninomiya, K. Ebihara, S. Hiramatsu, Y. Kimura, J. Kishiro, T. Ozaki and K. Takayama 327
Cooling of relativistic electron beams
V.A. Bazylev and A.V. Tulupov 332
Design of rf conditioner cavities
R. Govil, R.A. Rimmer, A.M. Sessler and H.G. Kirk 335
Control system with a software simulator for JAERI-FEL
M. Sugimoto 340
Design of rf linac driving near-infrared FEL
H. Sakae, M. Takabe, M. Ogoshi, S. Mandai and S. Hiramatsu 346
Beam stabilization for FEL at TERAS
S. Sugiyama, T. Yamazaki, K. Yamada, H. Ohgaki, N. Sei, T. Mikado, M. Chiwaki, R. Suzuki, T. Noguchi and T. Tomimasu 350

Section VIII. Compton FEL theory and simulation

Self-amplified spontaneous emission for short wavelength coherent radiation
K.-J. Kim and M. Xie 359
Free electron laser scaling with emittance and energy spread
C.W. Roberson and B. Hafizi 365
Thomson backscattered X-rays from an intense laser beam
C.-M. Tang, B. Hafizi and S.K. Ride 371
Spectral broadening and the sideband instability
P. Chaix, D. Iracane and H. Delbarre 379
Modeling the APLE injector solenoid magnetic field with the Biot–Savart law
H. Takeda and D. Dowell 384
Optical spikes and superradiant pulse propagation in a free-electron laser
S.J. Hahn and J.K. Lee 390
Behavior of the TE_{pj1} mode in the Photon Storage Ring
H. Tsutsui, H. Yamada, K. Mima and K. Shimoda 395
An approach to the refractive guiding in FEL through the beam phase space model
Fu Shinian 401
Chaos and the taming of free electron laser spectral dynamics
P. Chaix, D. Iracane and H. Delbarre 406
Investigation of 3D effects on FEL operation
G.H.C. van Werkhoven, B. Faatz and T.J. Schep 411
Radiation from the ETL optical klystron in TERAS and effects of dispersive section on spectral fine structure
K. Yoshikawa, Y. Inanaga, Y. Yamamoto, M. Ohnishi, T. Yamazaki and K. Yamada 416

Simulation code development for the start-up of an FEL oscillator
S.-i. Kuruma, M. Naruo, K. Mima, K. Imasaki, S. Nakai and C. Yamanaka 421

Simple formulae for the optimization of the FEL gain length including the effects of emittance, betatron oscillations and energy spread
Y.H. Chin 424

Calculation of 3-D free electron laser gain: comparison with simulation and generalization to elliptical cross section
Y.H. Chin, K.-J. Kim and M. Xie 429

A comparison of different types of coherent radiation of a relativistic electron beam in the X-ray range
A.V. Tulupov 437

On the classical analog of the Einstein relations between spontaneous emission, induced emission and absorption
V.N. Litvinenko and N.A. Vinokurov 440

JAERIPULSE – a versatile FEL simulation code on a supercomputer
K. Sasaki, R. Nagai, N. Kikuzawa, M. Sawamura, M. Takao, M. Sugimoto, E. Minehara, M. Ohkubo, Y. Suzuki and Y. Kawarasaki 450

Section IX. Raman regime FEL theory

Self-consistent analysis of the effect of wiggler field errors in free-electron lasers
H.P. Freund and R.H. Jackson 461

Simultaneous operation of a free-electron laser on two harmonically related wavelengths
A.T. Burke, M.J. Schmitt, J.C. Goldstein and S.K. Ride 467

Theoretical study of free-electron lasers with reversed guide field
G. Zhang, G. Shvets and J.S. Wurtele 472

Three-dimensional simulation of a free-electron laser amplifier
P. Jha and J.S. Wurtele 477

Simulation of tapered FEL amplifiers in millimeter and infrared regions
T.H. Chung, H.S. Kim and J.K. Lee 482

Anticyclotron and halfcyclotron resonances in a FEL
A.A. Silivra 487

Physically transparent formulation of a free-electron laser in the linear gain regime
W.A. Barletta, A.M. Sessler and L.-H. Yu 491

Space-charge effects in free-electron lasers
H.P. Freund 496

Three-dimensional nonlinear simulation of a high-power collective free-electron laser
A.K. Ganguly and H.P. Freund 501

A new kinetic method for studying sideband radiation
Chen Yashen and Wang Wanjie 505

Electron energy modulation with laser light using a small gap circuit. A theoretical consideration
J. Bae, S. Okuyama, T. Akizuki and K. Mizuno 509

Waveguide studies for FOM FEM
R.W. Best, W.H. Urbanus, T.(A.)G.A. Verhoeven, E. Jerby and R. Ganzel 513

Simulation of an optical klystron waveguide FEL
G. Kong, R.A. Stuart and J. Lucas 518

Analogies between the free electron laser and whistler mode amplification in the ionosphere
W.B. Colson, B. Gately, D.L. Caudle and K. Sturgess 522

Electron trajectories in a free electron laser with a reversed axial guide field
V.A. Bazylev, A. Bourdier, J.M. Buzzi and Ph. Gouard 527

Cyclotron resonance in a FEL with a spiral undulator and an inverse axial magnetic field
A.A. Kaminsky, A.K. Kaminsky, N.I. Karbushev, V.P. Sarantsev, S.N. Sedykh, A.P. Sergeev and A.A. Silivra 531
Nonlinear numerical simulations on the MIT microwave free electron laser
T. Hara, R. Hajima, H. Ohashi and G. Bekefi 535

Section X. Cherenkov FEL and new concepts

A harmonic FEL based on the second harmonic gyroresonance
A.T. Lin and K.R. Chu 541
Laser synchrotron radiation as a compact source of tunable, short pulse hard X-rays
E. Esarey, P. Sprangle, A. Ting and S.K. Ride 545
A new FEL concept driven by a vacuum microfield emitter
K. Mima, S. Nakai, T. Taguchi, N. Ohigashi, Y. Tsunawaki, K. Imasaki, C. Yamanaka and M. Shiho 550
Double-undulator FEL for governing by the harmonics generation
A.V. Tulupov 554
High efficiency FEL using microwave reacceleration
J.F. Schmerge, R.H. Pantell, Y.C. Huang, J. Harris, J. Feinstein, L. Zitelli, Z.Q. Yan and J.W. Lewellen 558
Features of the compact photon storage ring
H. Yamada, H. Tsutsui, K. Shimoda and K. Mima 566
Cyclotron Cherenkov maser amplification using the anomalous Doppler effect
Y.-H. Cho, D.-I. Choi and J.-S. Choi 572
Design study of mm to nm diameter electron beams for submillimeter-wave to X-ray free-electron lasers
H. Ishizuka, Y. Nakahara, S. Kawasaki, N. Ogiwara, K. Sakamoto, A. Watanabe and M. Shiho 577
A FEL based on the excitation of local surface plasmons
N.K. Zhevago 581
Induced Cherenkov radiation of soft X-rays
N.K. Zhevago 584
Pulse propagation in a Cherenkov free electron laser
J.S. Choi, K.-J. Kim and M. Xie 587
Amplification of Cherenkov radiation in dielectric strings and capillaries
N.K. Zhevago and V.I. Glebov 592
Simulation studies of Cherenkov FELs using microdielectric waveguides
T. Taguchi and K. Mima 597
Angular distribution narrowing of undulator radiation caused by low frequency electron oscillations
A.A. Varfolomeev and V.N. Tikhonov 601
Radial- and azimuthal-polarization free electron lasers
C.-C. Shih 606
Far infrared Smith Purcell experiment: measurement of radiated power
G. Doucas, J.H. Mulvey, M. Omori, J. Walsh and M.F. Kimmitt 609

Section XI. Optics and radiation diagnostics

A technique for single-pulse spectrum and pulse width measurements for an IR-FEL
W.P. Leemans, J.A. Edighoffer, K.-J. Kim, S. Chattopadhyay and H.A. Schwettman 615

Experimental test of the SCA/FEL external cavity
P. Haar, H.A. Schwettman and T.I. Smith 621
Waveguide lens
S.A. Lutsenko and N.A. Vinokurov 627
Experiment and simulation of hole-coupled resonator modes with a cw HeNe laser
W.P. Leemans, M. Xie, J.A. Edighoffer, E. Wallace, K.-J. Kim and S. Chattopadhyay 630
Power extraction with an on-axis aperture
B. Faatz, R.W.B. Best, D. Oepts and P.W. van Amersfoort 636
Infrared FEL measurements of power limiting by two-photon absorption in InSb and optical pulse length measurements
D.A. Jaroszynski, J-M. Ortega, R. Prazeres, F. Glotin, B.N. Murdin, C. Merveille, A.K. Kar, M.F. Kimmitt and C.R. Pidgeon 640
Micropulse slippage and optical mode distortion in the Boeing APLE amplifier
J. Blau, D.J. Frost and W.B. Colson 645
Short pulse evolution in the Boeing APLE oscillator
K.A. Sturgess, D.J. Frost and W.B. Colson 650
Suppression of mode-beating in a saturated hole-coupled FEL oscillator
S. Krishnagopal, M. Xie and K.-J. Kim 654
High efficiency free-electron laser operation in a symmetrical confocal resonator
M. Özcan and R.H. Pantell 658
Reflectance of the DFB resonator calculated by transmission line theory and comparison with experimental results
N. Ohigashi, T. Kawabata, M. Morita, Y. Tsunawaki, N. Ikeda, K. Imasaki, S. Kuruma, K. Mima and S. Nakai 662
A grating spectrometer for Raman free electron laser diagnostics
M. Wang, Z. Lu, L. Zhang, J. Chen, B. Feng and Z. Wang 667

Section XII. Wigglers

Adjustable focusing force undulator
T. Okazaki, Y. Hosoda, T. Keishi and A. Kobayashi 673
Electrostatic microwiggler FEL
A. Murai, K. Mima, S. Kuruma, N. Ohigashi, Y. Tunawaki, K. Imasaki, S. Nakai and C. Yamanaka 680
Conceptual design of a plasma undulator
Y. Suzuki 684
Analysis of the superconducting wiggler magnets for the ATF harmonic generation FEL experiment
X. Zhang, I. Ben-Zvi, G. Ingold, S. Krinsky and L.H. Yu 689
A new method for measuring the magnetic field in a microwiggler based on magnetic tape recording
Y. Neuman, H. Kleinman and A. Gover 695
A cryogenic cw electromagnetic wiggler
W.C. Sailor, L.E. Thode, S.L. Judd, M.F. Hundley and M.J. Schmitt 701
Development of a pulsed-microwiggler system
R.W. Warren and C.M. Fortgang 706
A tunability enhanced electromagnetic wiggler
R.D. Schlueter and G.A. Deis 711
Development of a focusing wiggler with trapezoid-shaped permanent magnets
Y. Wasa, T. Suzuki, T. Kusaka, K. Inoue, Y. Kawata, A. Kobayashi and T. Keishi 715

Large rare earth magnets for a focusing wiggler
Y. Kuriyama, K. Oda, K. Tabaru, T. Iimura, M. Shiho and K. Sakamoto 721
Gain analysis of the FEL using a geometrically focusing permanent magnet undulator
Y. Tsunawaki, N. Ohigashi, T. Okazaki, K. Mima, S.-i. Kuruma, S. Sato, K. Imasaki, S. Nakai and L.R. Elias 727
End effects and focusing ability of a double bifilar helix linear wiggler
Wang Pingshan, Cheng Yutao, Luo Xiao, Hu Jianping and Hu Kesong 731
Development of a focusing wiggler magnet with parabolic pole faces
M. Takabe, M. Ogoshi, M. Marushita, H. Sakae, K. Araki, S. Mandai, T. Keishi and A. Kobayashi 736
Striped superconductor undulator scheme
A.V. Smirnov and A.A. Varfolomeev 739
The gain and efficiency enhancement in double-undulator FELs. Induced betatron oscillations
V.A. Bazylev and A.V. Tulupov 742
Strong magnetic field microundulator with permanent magnets inserted into a solenoid
A.A. Varfolomeev, A.S. Khlebnikov, S.N. Ivanchenkov, N.S. Osmanov and A.H. Hairetdinov 745
Superferric microundulator with high field
V.A. Papadichev, V.S. Vysotsky, V.N. Tsikhon and V.T. Eremichev 748
Detrapping from magnetic field errors as a random walk ESCAPE
C.J. Elliott, J.M. Frank and L.E. Thode 752
Magnetic field error measurement of the CEBAF (NIST) wiggler using the pulsed wire method
S.M. Wallace, W.B. Colson, G.R. Neil and L. Harwood 759
Design of a new type of planar undulator for generating variably polarized radiation
S. Sasaki, K. Kakuno, T. Takada, T. Shimada, K.-i. Yanagida and Y. Miyahara 763
Modification of a planar undulator for the suppression of high radiation harmonics at zero angle
V.M. Popik and N.A. Vinokurov 768
The KIAE-6 multisection hybrid type undulator
A.A. Varfolomeev, V.N. Dvoretsky, S.N. Ivanchenkov and A.V. Pukhov 771
Practical solenoid-derived wiggler
H. Golombek, E. Agmon and E. Jerby 775

Section XIII. Electron beam diagnostics

Comments on advanced, time-resolved imaging techniques for free-electron laser experiments
A.H. Lumpkin and M.D. Wilke 781
Time-resolved electron spectrum measurements on the FELIX facility
W.A. Gillespie, P.F. Martin, A.M. MacLeod, A.J. Macdonald, R.J. Bakker, C.A.J. van der Geer, A.F.G. van der Meer and P.W. van Amersfoort 786
Measuring emittance of nonthermalized electron beams from photoinjectors
B.E. Carlsten, J.C. Goldstein, P.G. O'Shea and E.J. Pitcher 791
Charged-particle beam diagnostics for the advanced photon source
A.H. Lumpkin, G. Decker, E. Kahana, D. Patterson, W. Sellyey, X. Wang and Y. Chung . . 797
Time-resolved electron-beam characterizations with optical transition radiation
A.H. Lumpkin and M.D. Wilke 803
Diagnostics of an L band FEL high current injector
X.Z. Shi, Y.L. Pan, J. Yao, J.Y. Chen, X.F. Guan, Y.Q. Gao and Q. Sun 809

Erratum 817

Part II. Extended synopses

A proposed experiment for beam conditioning
I. Ben-Zvi, L-H. Yu, R. Govil and A.M. Sessler . . . . . ABS 1
The Vanderbilt University Free-Electron Laser Center
C.A. Brau and M.H. Mendenhall . . . . . ABS 4
Theoretical studies on the Conde–Bekefi experiment
Chen Yashen, Dong Zhiwei, Jiang Yuoming and Yang Zhenhua . . . . . ABS 7
First operation of a compact FEL in the millimeter wave region
F. Ciocci, R. Bartolini, A. Doria, G.P. Gallerano, E. Giovenale, M.F. Kimmitt, G. Messina and A. Renieri . . . . . ABS 11
Emission of coherent radiation from a modulated electron beam
A. Doria, J. Feinstein, G.P. Gallerano, R.H. Pantell and R. Bartolini . . . . . ABS 14
Project of high brightness cw photoinjector for a free electron laser
N.G. Gavrilov, A.D. Oreshkov, I.V. Pinayev, A.S. Sokolov, A.V. Tolubensky and N.A. Vinokurov . . . . . ABS 17
The Israeli tandem electrostatic accelerator FEL – status report
A. Gover, Y. Pinhasi, J. Wachtell, Y. Yakover, J. Sokolowski, M. Ben Ari, B. Mandelbaum, A. Rosenberg, Y. Shiloh, G. Hazak, L.M. Levine, O. Shahal and A. Wolf . . . . . ABS 20
Integrated free-electron laser schemes
E. Jerby . . . . . ABS 21
Numerical studies of the multi-cavity free-electron laser
S. Krishnagopal, G. Rangarajan and A. Sessler . . . . . ABS 22
Precise measurements of the curvature radii of mirrors
V.N. Litvinenko, V.M. Popik, T.V. Shaftan and N.A. Vinokurov . . . . . ABS 26
Sum-frequency generation at surfaces using an infrared FEL synchronized with a YAG laser
A. Peremans, P. Guyot-Sionnest, A. Tadjeddine, F. Glotin, J.-M. Ortega and R. Prazeres . ABS 28
FELIX: from laser to user facility
M.J. van der Wiel, P.W. van Amersfoort and FELIX Team . . . . . ABS 30
Study on the storage ring NIJI-IV with an optical klystron
M. Yokoyama, M. Kawai, K. Owaki, S. Hamada, K. Aizawa, Y. Oku, A. Iwata, M. Yoshiwa, T. Yamazaki, S. Sugiyama, H. Ohgaki, K. Yamada, N. Sei, T. Mikado, T. Noguchi, R. Suzuki, M. Chiwaki and T. Tomimasu . . . . . ABS 34

Author index 821